

004727 SEP 26 1960




Figure 1

097315-10400




Figure 2

0973745-12400





Figure 3

# Figure 4






Figure 5

CRM1

Combined Brady/Tachy Product






Figure 6

# Figure 7



# Figure 8





## Figure 9

## Screen 77: Arrhythmia Episode Log - sorted by Type, Date, Time

Figure 10

Collected Data - Arrhythmia Episodes

☒ All Episodes 24-Feb-1997 - 04-Jul-1997 Sorted by: Type, Date, Time

☒ Only: ☒ VT ☒ AF ☒ A&V ☒ > 0 sec  
☒ AT ☒ Afl ☒ PACs

910 1012 1014 1016

Type	Date/Time	Duration hh mm ss	Max Rate AS/VS(bpm)	Activity at Onset	Strip?
VT Last	03-Jul-97 12:11 PM	:16	88 / 180	Rest	
VT Longest	01-Jun-97 04:55 PM	:23	65 / 180	Rest	
VT	01-Jun-97 04:55 PM	:17	70 / 230	Rest	
VT	01-Jun-97 04:54 PM	:17	70 / 220	Rest	
VT	01-Jun-97 04:54 PM	:13	70 / 220	Rest	
VT Fastest	01-Jun-97 11:07 AM	:15	70 / 270	Rest	
VT	31-May-97 08:16 PM	:16	85 / 240	Rest	
VT	31-May-97 05:41 PM	:17	80 / 250	Rest	
VT	31-May-97 05:18 PM	:16	75 / 260	Rest	

907 1400

Print Data 1022 1020

• Mode Switched

A. EGM

V. EGM

Print Data Print Data

004727 004727 004727




Figure 11